

THE INTERNATIONAL EPD® SYSTEM



PCR BASIC MODULE

CPC Division 36
RUBBER AND PLASTICS PRODUCTS

VERSION 0.5 DATED 2009-08-10

DRAFT

How to use PCR Basic Modules based on the UN CPC structure..... 3

Division 36: Rubber and plastics products 4

General Introduction 6

1 General information 8

2 Definition of the product group 8

3 Functional unit 9

4 Content of materials and chemical substances 9

5 Units and quantities 10

6 General system boundaries 10

7 Core Module 12

8 Upstream Module..... 14

9 Downstream Module 15

10 Environmental performance related information 15

11 Content of the EPD (CPC 35)..... 16

12 Validity of the EPD 19

13 Changes in this document 19

DRAFT

HOW TO USE PCR BASIC MODULES BASED ON THE UN CPC STRUCTURE

CPC is a complete product classification scheme covering goods and services. It is based on the physical characteristics of goods or on the nature of the services rendered. Each type of good or service distinguished in the CPC is defined in such a way that it is normally produced by only one activity as defined in the International Standard Industrial Classification of all economic activities (ISIC Rev. 4). This PCR basic module is based on CPC ver. 2.0, for more information see <http://unstats.un.org/unsd/cr/registry>.

The use of the CPC system leads to a structure for PCR documents in two dimensions:

- a “horizontal” dimension describing the product’s value chain divided according to business sectors, i.e. building on CPC-coded information modules, and
- a “vertical” dimension defining each information module (with a further delineation of each such section into subclasses).

The CPC concept forms the basis for a PCR structure to:

- provide a structure for industry specific PCR core modules, or rather the PCR core module and up-streams modules as well as down-streams modules within the product group system boundary, and
- open up for differentiated, but defined levels of requirements in the PCR document, i.e. part of the requirements may be applicable on a generic product group level, part of the requirements may be limited to selected individual products.

PCR Basic Modules make use of this option provided by the CPC concept, and are close to ready-made draft PCR documents with some information still lacking, but the lacking information is identified in the document.

The PCR Basic Module document includes:

1. Text which is common for all full PCR documents regardless of product group, e.g. the introduction section
2. Text including requirements which are common for all products which belong to the specified product group on UN CPC code two digit level, e.g. CPC Division 01: Products of agriculture, horticulture and market gardening. PCR requirements valid on two digit level are specified (marked with CPC XX).
3. Identified specific requirements or information, written in *italic*, which must be decided upon on a more detailed level than the CPC Division level. In the final PCR document this detailed level could be anything from CPC three digit level to five digit level dependent on the level of the final PCR document. Thus, the information requested in *italic* shall be replaced by the relevant text, e.g. instead of the text “product group” in the PCR Basic Module document the final PCR document may read “transformers” in a PCR for transformers.

The PCR Basic Module document provides a close to ready-made PCR document. Just decide upon and add the relevant information requested in *italic*.

DRAFT

DIVISION 36: RUBBER AND PLASTICS PRODUCTS

This Division is divided into the following groups (three digits) and classes (four digits):

- 361 Rubber tyres and tubes
 - 3611 New pneumatic tyres, inner tubes, solid or cushion tyres, interchangeable tyre treads, tyre flaps and "camel-back", of rubber
 - 3612 Retreaded pneumatic tyres, of rubber
- 362 Other rubber products
 - 3621 Reclaimed rubber
 - 3622 Unvulcanized compounded rubber, in primary forms or in plates, sheets or strip; unvulcanized rubber in forms other than primary forms or plates, sheets or strip (except "camel-back" strips for retreading rubber tyres); articles of unvulcanized rubber; thread, cord, plates, sheets, strip, rods and profile shapes, of vulcanized rubber other than hard rubber
 - 3623 Tubes, pipes and hoses of vulcanized rubber other than hard rubber
 - 3624 Conveyor or transmission belts or belting, of vulcanized rubber
 - 3625 Rubberized textile fabrics, except tyre cord fabric
 - 3626 Articles of apparel and clothing accessories (including gloves) of vulcanized rubber other than hard rubber
 - 3627 Articles of vulcanized rubber n.e.c.; hard rubber; articles of hard rubber
- 363 Semi-manufactures of plastics
 - 3631 Monofilament of which any cross-sectional dimension exceeds 1 mm, rods, sticks and profile shapes, of plastics
 - 3632 Tubes, pipes and hoses, and fittings therefor, of plastics
 - 3633 Plates, sheets, film, foil and strip, of plastics, not self-adhesive, non-cellular and not reinforced, laminated, supported or similarly combined with other materials
 - 3639 Other plates, sheets, film, foil and strip, of plastics
- 364 Packaging products of plastics
 - 3641 Sacks and bags, of plastics
 - 3649 Other articles for the conveyance or packing of goods, of plastics; stoppers, lids, caps and other closures, of plastics
- 369 Other plastics products
 - 3691 Floor coverings of plastics, in rolls or in the form of tiles; wall or ceiling coverings of plastics
 - 3692 Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of

DRAFT

plastics

- 3693 Baths, wash-basins, lavatory pans and covers, flushing cisterns and similar sanitary ware, of plastics
- 3694 Tableware, kitchenware, other household articles and toilet articles, of plastics
- 3695 Builders' ware of plastics n.e.c.
- 3696 Parts n.e.c. of lamps, lighting fittings, illuminated signs, illuminated name-plates and the like, of plastics
- 3697 Safety headgear; other headgear of rubber or plastics
- 3698 Electrical insulating fittings of plastics
- 3699 Articles of plastics n.e.c.

DRAFT

Important! PCR requirements valid on level CPC division 36 are specified (marked with CPC 36). Certain requirements are dependent on the choice of specific product group, and need to be defined on lower, more specific levels (Group, Class, or Subclass). These requirements, written in italic, are only identified in general terms in this document. All text written in italic shall be replaced by sharp requirements or deleted as appropriate in the final PCR document.

GENERAL INTRODUCTION

(This section shall be included in all PCR- documents)

The international EPD® system is based on a hierarchic approach following the international standards:

- ISO 9001, Quality management systems
- ISO 14001, Environmental management systems
- ISO 14040, LCA - Principles and procedures
- ISO 14044, LCA - Requirements and guidelines
- ISO 14025, Type III environmental declarations
- ISO 21930, Environmental declaration of building products.

The General Programme Instructions are based on these standards, as well as instructions for developing Product Category Rules (PCR).

The documentation to the International EPD® system includes three separate parts (www.environdec.com):

- Introduction, intended uses and key programme elements
- General Programme Instructions
- Supporting annexes

This PCR-document specifies further and additional minimum requirements on EPDs of the product group defined below complementary to the above mentioned general requirement documents.

Principle programme elements concerning the Product Category Rules (PCR) included in International EPD® system are presented below.

Purpose	Element identification and principal approach
Complying with principles set in ISO 14025 on modularity and comparability	1. "Book-keeping LCA approach" 2. A Polluter-Pays (PP) allocation method
Simplifying work to develop Product Category Rules (PCR)	3. PCR Module Initiative (PMI) in order to structure PCR in modules according to international classification

DRAFT

	4. PCR moderator for leadership and support of the PCR work
Secure international participation in PCR work	5. Global PCR Forum for open and transparent EPD stakeholder consultation
Facilitating, identification and collection of LCA-based information	6. Selective data quality approach for specific and generic data

Product Category Rules (PCR) are specified for specified information modules “gate-to-gate”, so called core modules. The structure and aggregation level of the core modules is defined by the United Nation Statistics Division - Classification Registry CPC codes (<http://unstats.un.org>). The PCR also provides rules for which methodology and data to use in the full LCA, i.e. life cycle parts up-streams and down-streams the core module. The PCR also has requirements on the information given in the EPD, e.g. additional environmental information. A general requirement on the information in the EPD is that all information given in the EPD, mandatory and voluntary, shall be verifiable.

In the EPD, the environmental performance associated with each of the three life-cycle stages mentioned above are reported separately:

DRAFT

1 GENERAL INFORMATION

(This section shall after editing be included in all PCR document)

Date and registration no:	<i>date and registration number of the PCR</i>
This PCR was prepared by:	<i>names of organisations</i>
Appointed PCR moderator:	<i>Name, organisation,, e-mail address</i>
Open consultation period:	<i>date until date.</i>
Valid within the following geographical representativeness:	<i>Describe the geographical representativeness for the PCR.</i>
Valid until:	<i>date</i>

This document provides Product Category Rules (PCR) for the assessment of the environmental performance of *UN CPC 36XXX (define product group)* and the declaration of this performance by an EPD. *(CPC 36)*

This PCR is based on the requirements and guidelines given in "PCR Basic Module, CPC Division 36: "Rubber and plastics products", version x.x, dated xxx 2009. *(CPC 36)*

Any comments to this PCR document may be given on the Global PCR Forum or directly to the PCR moderator during the period of validity. *(CPC 36)*

The PCR document is a living document. If relevant changes in the LCA methodology or in the technology for the product category occur, the document will be revised and any changes will be published on the international website: www.environdec.com. *(CPC 36)*

The EPD shall refer to a specific PCR version number. The production of new PCR versions does not affect the EPD certification period. *(CPC 36)*

2 DEFINITION OF THE PRODUCT GROUP

The products and services included in the product group shall be described. Examples on services included and not included may be given for assistance to the EPD developer.

The product group and CPC code shall be specified in the EPD. *(CPC 36)*

2.1 SPECIFICATION OF MANUFACTURING COMPANY

The PCR shall specify the information on the manufacturing/producing company that is required in the EPD, separated into mandatory and voluntary information.

Example:

DRAFT

Mandatory information:

- *Company*
- *Production site(s)*
- *Issuer and contacts*

Examples of voluntary information:

- *Information on environmental management system*
- *Specific aspects regarding the production*
- *Environmental policy*
- *Manufacturers logotype*

2.2 SPECIFICATION OF THE PRODUCT

The PCR is a template for one of the products in the product group, including e.g. rubber tyres and tubes, unvulcanized compounded rubber, conveyor or transmission belts, rubberized textile fabrics, tubes, pipes and hoses, plates, sheets, film, foil and strip, of plastics, packaging products of plastics, floor coverings of plastics, and other articles of plastics or rubber. Type of product shall be specified at a more detailed CPC level.

The PCR shall specify the information on the product required in the EPD.

3 FUNCTIONAL UNIT

The functional unit is preferable weight or area based, and shall be specified on a more detailed CPC level.

The functional unit shall be declared in the EPD. (CPC 36)

The environmental impact shall be given per functional unit. (CPC 36)

4 CONTENT OF MATERIALS AND CHEMICAL SUBSTANCES

The gross weight/ volume of material shall be declared in the EPD at a minimum of 99 % of one product unit. (CPC 36)

- materials/substances submitted to legal requirements shall be listed
- materials/substances hazardous to health and the environment, being allergenic, carcinogenic, mutagenic or toxic to reproduction if present in such a concentration in the product that it meets requirements for being subjects to labelling according to the legislation (e.g. the European Directives on substances and preparations).

DRAFT

The list can be separated for materials/products or for materials per functional unit. (CPC 36)

Deviations from this requirement shall be justified at a more detailed CPC level.

5 UNITS AND QUANTITIES

SI units shall be used preferred power and energy units are: (CPC 36)

- kW (MW) for power
- kWh (MWh) for energy

A maximum of three value numbers shall be used when reporting LCA results. (CPC 36)

Other units may be regulated on a more detailed CPC level, if relevant.

6 GENERAL SYSTEM BOUNDARIES




Figure 1. Presentation of Core Module (core process) and upstream and downstream processes. The figure illustrates that all relevant unit processes taking place in the upstream-, core- and downstream processes shall be included. To identify the relevance of

DRAFT

including upstream and downstream infrastructure the commonly defined cut-off rules shall be applied

6.1 UPSTREAM PROCESSES

The upstream processes include the following inflow of raw materials and energy wares needed for the production of *the product*: (CPC 36)

- extraction of resources
- transport of resources to refinement
- refinement of resources
- the production processes of energy wares used in the extraction, refinement and manufacturing
- production of auxiliary products used such as detergents for cleaning etc
- the production of *semiproducts*, if applicable

6.2 CORE PROCESSES

The core process includes: (CPC 36)

- manufacturing of *the product*
- storage
- the manufacturing of the primary and secondary packaging is also included in the core process
- treatment of waste generated from the manufacturing of main parts and assembly of the product
- external transportation to the core process

6.3 DOWNSTREAM PROCESSES

The down stream process includes transportation from final production to an average distribution platform. It is voluntary to include: (CPC 36)

- transportation from final manufacturing to an average retailer/distribution platform
- the customer or consumer use of the product
- recycling or handling of packaging waste/materials after use

In the EPD, the environmental performance associated with each of the three life-cycle stages above reported separately. (CPC 36)

DRAFT

7 CORE MODULE

7.1 SYSTEM BOUNDARIES

7.1.1 TECHNICAL SYSTEM

The processes listed below for the production of the final products including primary packaging shall be included. The production processes for other product parts may be included. However, the raw material used for production of all product parts shall be included. (CPC 36)

Processes which are mandatory to include:

- xxx
- yyyy
- Etc.

A minimum of 99% of the total weight of the declared product including packaging shall be included. (CPC 36)

Waste that is deposited in landfill shall not be included in the system boundaries. (CPC 36)

Waste that is deposited in landfill shall be declared as kg of waste and kg of hazardous waste. (CPC 36)

The manufacturing of production equipment with an expected lifetime over three years, buildings, infrastructure, machines and other capital goods shall not be included. (CPC 36)

Maintenance activities more frequent than every three years shall be included. (CPC 36)

Business travel of personnel may be included. Travel to and from work by personnel should not be included. (CPC 36)

Recycling of secondary packaging may be included in a quantified way, however, in that case separate and not included in the total sum of the environmental impact of the core module.

Research and development activities may be included if relevant. This should be regulated on more detailed CPC levels.

7.1.2 GEOGRAPHICAL BOUNDARIES

The data for the core module shall be representative for the actual production processes and representative for the site/region where the respective process is taking place. (CPC 36)

7.1.3 TIME BOUNDARIES

The data shall be representative for the year/time frame for which the EPD is valid (maximum three years). (CPC 36)

DRAFT

7.1.4 BOUNDARIES TO NATURE

Boundaries to nature are defined as flows of material and energy resources from nature into the system. Emissions to air, water and soil cross the system boundary when they are emitted from or leaving the product system. (CPC 36)

7.1.5 BOUNDARIES TO OTHER PRODUCT LIFE CYCLES

If there is an inflow of recycled material to the production system in the production/manufacturing phase, the recycling process and the transportation from the recycling process to where the material is used shall be included. If there is an outflow of material to recycling, the transportation of the material to the recycling process shall be included. The material going to recycling is then an outflow from the production system (see supporting annex A). (CPC 36)

7.2 CUT OFF RULES

Life Cycle Inventory data for a minimum of 99 % of total inflows to the core module shall be included. Inflows not included in the LCA shall be documented in the EPD. (CPC 36)

7.3 ALLOCATION RULES

Allocation between different products and co-products shall be based on mass allocation. It is excluded the possibility of applying economic allocation criteria because of its sensitivity to market specific conditions. (CPC 36)

As an alternative, allocation rules may be given at a more detailed level. The choice of functional unit may provide guidance.

7.4 DATA QUALITY RULES

Specific data (often called site specific data) shall be used for the Core Module. (CPC 36)

Specific data are gathered from the sites where specific processes are carried out. (CPC 36)

The requirement for specific data also include actual product weights, amounts of raw materials used and amounts of waste etc. (CPC 36)

Specific data for the generation of electricity bought shall be used if possible. The data should be verifiable by invoice or similar. (CPC 36)

If specific data are not available or if the electricity bought is not specified for parts of the Core Module, the electricity mix used in those parts shall be approximated as the official electricity mix in the country of manufacture. The mix of energy shall be documented. (CPC 36)

DRAFT

8 UPSTREAM MODULE

8.1 SYSTEM BOUNDARIES

All elementary flows at resource extraction shall be included, except for the flows that falls under the general 1% cut off rule. (CPC 36)

8.2 DATA QUALITY RULES

Selected generic data shall be used if specific data are unavailable, e. g. data from commonly available data sources such as commercial databases and free databases, describing specific raw materials or processes usually referring to the system under study or to other systems equivalent from a technical point of view. (CPC 36)

For allowing the use of selected generic data, a number of pre-set characteristics must be fulfilled and demonstrated: (CPC 36)

- *Representativeness of the geographical area* should adhere to “Data deriving from areas with the same legislative framework and the same energetic mix”,
- *Technological equivalence* adhere to “Data deriving from the same chemical and physical processes or at least the same technology coverage (nature of the technology mix, e.g. weighted average of the actual process mix, best available technology or worst operating unit)”,
- *Boundaries towards nature* adhere to “Data shall report all the quantitative information (resources, solid, liquid, gaseous emissions; etc.) necessary for the EPD”, and
- *Boundaries towards technical systems* adhere to “The boundaries of the considered life cycle stage shall be equivalent”.

Recommendations for certain databases for selected generic data which describe material flows connected to a number of input materials may also be used. If recommendations are given to use such selected generic data, such data sources shall be listed in a table in the PCR document.

8.3 RULES FOR GENERIC DATA

If these data sources do not supply the necessary data, other generic data may be used and documented. The environmental impact of the processes where the other generic data are used must not exceed 10% of the overall environmental impact from the product system. (CPC 36)

8.4 OTHER CALCULATION RULES

These shall be given at a more detailed level, e.g. defining default calculation rules resource extraction.

DRAFT

9 DOWNSTREAM MODULE

Distribution scenarios shall be defined at a more detailed CPC level. (CPC 36)

Specific distribution (e.g. a weighted average distribution mode and route) may be included. Also, an average retailer may be included.

9.1 USE PHASE SCENARIO

Use phase scenarios shall be defined in PCR for more detailed product CPC levels for product categories where there is an environmental impact from the use phase.

9.2 RECYCLING DECLARATION AND WASTE TREATMENT

Recommendations for recycling of packaging materials shall be given, as well as recommendations for other waste treatment of product parts if relevant. The potential environmental impact and benefit of recycling and waste treatment shall be presented in the EPD.

10 ENVIRONMENTAL PERFORMANCE RELATED INFORMATION

10.1 USE OF RESOURCES

The consumption of natural resources and resources per functional unit shall be reported in the EPD, divided into core, upstream and downstream module. (CPC 36)

Input parameters, extracted resources: (CPC 36)

- Non-renewable resources
 - Material resources
 - Energy resources (used for energy conversion purposes)
- Renewable resources
 - Material resources
 - Energy resources (used for energy conversion purposes)
- Water use
- Electricity (electricity consumption during manufacturing).

10.2 POTENTIAL ENVIRONMENTAL IMPACT

The environmental impact per functional unit for the following environmental impact categories shall be reported in the EPD, divided into core, upstream and, if relevant, downstream module: (CPC 36)

DRAFT

- The emissions of greenhouse gases (expressed in global warming potential, GWP, in 100 year perspective).
- Emission of ozone-depleting gases (expressed as the sum of ozone-depleting potential in CFC 11-equivalents, 20 years).
- Emission of acidification gases (expressed as the sum of acidification potential expresses in SO₂- equivalents).
- Emissions of gases that contribute to the creation of ground level ozone (expressed as the sum of ozone-creating potential, ethene-equivalents).
- Emission of substances to water contributing to oxygen depletion (expressed as PO₄³⁻-equivalents).

The tables from General Programme Instructions, Annex B shall be used. (CPC 36)

10.3 OTHER INDICATORS

The following indicators shall be reported in the EPD, also per functional unit and divided into two or the three modules: (CPC 36)

- Material subject for recycling
- Hazardous waste, kg (as defined by regional directives)
- Other waste, kg
- Toxic emissions: to be decided in more detailed PCRs

10.4 ADDITIONAL ENVIRONMENTAL INFORMATION

The additional environmental information shall be specified at a more detailed CPC level. , e.g. field of application, impact on health, technical life length, maintenance, the final use of product, fire risks, risks at fire.

Information about biogenic CO₂ emissions is not necessary. If reported the biogenic CO₂ emissions shall be separated from the other greenhouse gases (expressed in global warming potential, GWP, in 100 year perspective). (CPC 36)

11 CONTENT OF THE EPD (CPC 35)

The requirements in this chapter are mandatory for all PCRs within CPC Division 35.

11.1 PROGRAMME RELATED INFORMATION

The programme related part of the EPD shall include:

- Name of the programme and programme operator
- The reference PCR document
- Registration number

DRAFT

- Date of publication and validity
- Geographical scope of application of EPD
- Information about the year or reference period of the underlying data to the EPD
- Reference to the homepage – www.environdec.com – for more information.

11.2 PRODUCT RELATED INFORMATION

11.2.1 SPECIFICATION OF THE PRODUCTION COMPANY

See 2.1.

11.2.2 SPECIFICATION OF THE PRODUCT

See 2.2.

11.2.3 FUNCTIONAL UNIT

See 3.

11.2.4 CONTENT OF MATERIALS AND CHEMICAL SUBSTANCES

See 4.

11.2.5 COMPARISONS OF EPDS WITHIN THIS PRODUCT CATEGORY

To be able to compare EPDs within this product category, they have to be based on this particular PCR. The user of the EPD information should be made aware of this by the inclusion of this statement in the EPD:

“EPDs from different programmes may not be comparable”

11.2.6 VALIDITY OF THE EPD

The validity of the EPD shall be reported in the EPD.

11.3 ENVIRONMENTAL PERFORMANCE-RELATED INFORMATION

11.3.1 ENVIRONMENTAL PERFORMANCE DECLARATION - MINIMUM SET OF PARAMETERS FROM THE LCA STUDY, REPORTED PER FUNCTIONAL UNIT

Upstream module, core module and downstream module shall be reported separately for the resource use, potential environmental impact and other indicators such as waste.

11.3.2 USE OF RESOURCES

In this category the consumption of natural resources and resources per functional unit shall be reported.

DRAFT

See 10.1.

11.4 POTENTIAL ENVIRONMENTAL IMPACT

In this category the potential environmental impact per functional unit shall be reported.

See 10.2.

11.4.1 OTHER INDICATORS

In this category relevant indicators shall be reported per functional unit.

See 10.3.

11.4.2 ADDITIONAL ENVIRONMENTAL INFORMATION

See 10.4.

11.5 DIFFERENCES VERSUS PREVIOUS VERSIONS OF THE EPD

The main causes for changes in environmental performance in comparison with previous EPD versions shall be described shortly.

11.6 VERIFICATION

The EPD shall give the following information about the verification process:

PCR review conducted by:	<i>Name and organization of the chair, and information on how to contact the chair through the programme operator</i>
Independent verification of the declaration and data, according to ISO 14025:	<i>Internal (EPD process certificate) or external, if external name of the third party verifier</i>
Accredited or approved by (if relevant):	<i>Name of the organisation</i>

11.7 REFERENCES

The EPD shall, if relevant, refer to:

- The underlying LCA
- The PCRs used
- Other documents that verify and complement the EPD
- Instruction for recycling
- Programme instructions
- Sources of additional information

DRAFT

12 VALIDITY OF THE EPD

If changes in any of the environmental impacts are larger than +- 5% the EPD shall be adjusted. Regardless, the EPD shall be reviewed every three years. (CPC 36)

13 CHANGES IN THIS DOCUMENT

VERSION 0.5, 2009-08-10

Draft version.

DRAFT

